

MORE THAN 70 YEARS OF EXPERTISE.

When you select a Westbridge 6500 Sliding Patio Door for your home, you're getting more than just a frame, sashes and glass. You're getting the professional knowledge and technical skill of Alpine's Product Development Group – experts with a proven track record of designing, building and testing superior, energy-efficient patio doors and windows. These specialists know that to build the best products, you have to start with the best materials and components. Their experience is your assurance of total satisfaction.



THE WESTBRIDGE LIFETIME LIMITED WARRANTY.

Westbridge 6500 Sliding Patio Doors are made by AMI, a recognized leader in product innovation, manufacturing excellence and uncompromising quality control. That's a reputation you can count on, from the day your patio door is installed until the day you sell your home. And to make your buying decision easier, AMI backs all Westbridge 6500 Sliding Patio Doors with its Lifetime Limited Warranty[†]. . . one of the strongest in the industry.

WINDOW PRODUCTS FOR EVERY ARCHITECTURAL NEED.

For a variety of looks from traditional to contemporary, no matter what the application is, Alpine has you covered. Choose from a complete product line that offers Single-Hung, Double-Hung, Sliding, Casement, Awning, Bay and Bow, Picture and Specialty Shape Windows. You'll find that the combination of many styles and configurations will work well to enhance your home's appearance.



For a complete list of air, water and structural performance results, as well as specific code approvals, visit www.associatedmaterials.net.



Westbridge 6500

SLIDING PATIO DOOR COLLECTION
CONTEMPORARY • CLASSIC • FRENCH



2801 78th Avenue East
Fife, WA 98424
253.765.5270

www.alpinewindowssystems.com

7550 East 30th Street
Yuma, AZ 85356
928.344.6500

©2019 AMI. Westbridge is a registered trademark and SolarTherm is a trademark of AMI. Intercept is a registered trademark of Vitro. ENERGY STAR name and logo are registered U.S. marks and are owned by the U.S. government. *It is always suggested to consult your tax planner and review all IRS guidelines. Neither AMI nor its representatives shall act as a tax advisor. †Insulated glass (IG) units that require capillary tubes may experience some argon gas depletion. ‡For a copy of the written product warranty please visit www.alpinewindowssystems.com/resources/warranty/ or contact your Alpine Sales Representative. Colors are reproduced by lithographic process and may vary slightly from colors of actual product. All specifications and designs subject to change without notice. Printed in USA 6/19 1M/OP 75-7034-01





EXCEPTIONAL QUALITY WITH ARCHITECTURAL APPEAL.

Selecting the best patio door for your home is easy when you have three superb styles to choose from: Contemporary, Classic and French. Each door is beautifully detailed to achieve a distinctive look while providing a powerful shield against inclement weather and energy loss. Westbridge 6500 Sliding Patio Doors also incorporate Alpine's more than 70 years of manufacturing excellence, further assurance of lasting quality and value.

WESTBRIDGE 6500 SLIDING PATIO DOORS WILL EXCEED YOUR EVERY EXPECTATION.

Precision-built with premium vinyl construction, ultra-efficient insulating components and high-performance glass, Westbridge 6500 Sliding Patio Doors deliver all the "must-haves" for today's homes.

The heavy-duty mainframe and sash, multi-chambered extrusions and steel-reinforced interlocking meeting rails ensure superior structural integrity and durability, as well as increased insulation. Dual internal/external weatherstripping, compression bulb seal and a 1" thick insulated glass unit with a warm-edge spacer system also contribute to optimal thermal efficiency.

Built for everyday wear and tear, the sliding panel glides smoothly and quietly on a precision-engineered tandem roller system. The handsome yet rugged aluminum screen also features four adjustable rollers for easy and reliable operation year after year.

SAVE MORE ENERGY WITH SOLARTHERM™ INSULATING GLASS TECHNOLOGY.

Many people think of glass as being fragile, yet it's one of the primary components in the thermal efficiency of your patio door. Upgrading your door with a SolarTherm insulated glass package will further increase energy conservation. SolarTherm combines multi-layered, low-emissivity (Low-E) glass, argon gas[†] and the Intercept® Warm-Edge Spacer System for improved energy efficiency compared to a standard clear glass unit. The Low-E technology also reduces damaging UV rays that cause carpets and furnishings to fade.



In summer months, Low-E glass filters the sun's rays and reduces heat penetration from solar energy.



In winter months, Low-E glass lets warm solar rays into your home, while preventing indoor heat from escaping.

HIGH-PERFORMANCE WARM-EDGE SPACER REDUCES HEAT LOSS.

The spacer system not only helps stabilize the panes of glass in your door, it also prevents the transfer of heat and cold – a key factor in saving energy.



The Intercept Warm-Edge Spacer features a unique, one-piece metal alloy, U-channel design that reduces heat loss through the patio door. It's stronger and better at retaining insulating gas than many conventional spacers, and is nearly 25% more effective than a traditional box metal spacer at the edge of the glass unit.

PRECISION-ENGINEERED FOR INCREASED ENERGY EFFICIENCY.

SolarTherm insulated glass packages have proven to be far more effective than ordinary clear glass units. A simple way to compare one patio door to the next is to check out the performance data on the door's glass label. The lower the U-Factor, the less energy you'll need to heat your home. The lower the Solar Heat Gain Coefficient (SHGC), the more you'll conserve on air-conditioning.

ENVIRONMENTALLY SOUND.

Exceptionally energy-smart and weathertight, Westbridge 6500 Sliding Patio Doors and Windows help reduce fuel consumption needed to heat and cool homes. They also boast a long service life and never need to be painted, which helps eliminate paint, stain and other maintenance-related products from entering the waste stream or releasing volatile organic compounds (VOCs) into the atmosphere. Vinyl patio doors and windows also are eco-friendly because vinyl resin is derived largely from common salt – a sustainable and abundant natural resource!¹



USGBC and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.



AMI offers a variety of ENERGY STAR® qualified patio doors and windows. Consult your sales representative for the optimal glass package required for your home and climate zone.

¹Source: A Clear View – Vinyl Windows and the Environment, American Architectural Manufacturers Association (AAMA) & The Vinyl Institute (VI), March 2007



Create a fresh and inviting entry to your home with our Westbridge 6500 Contemporary-Style Sliding Patio Door. The sleek, clean-line design features symmetrical 3" rails for the perfect touch of modern sophistication.

DRESS UP YOUR HOME WITH THIS MASTERFULLY CRAFTED DOOR, WHILE ENHANCING THE INTERIOR AMBIANCE WITH A GENEROUS OUTDOOR VIEW.


- 1 Premium vinyl mainframe and sash extrusions are colored throughout – won't chip, peel, crack or warp and never need to be painted.
- 2 Mainframe and sash feature a double-wall design and multi-chambered construction for outstanding strength and thermal protection.
- 3 Dual internal/external weatherstripping on the sash ensures optimal energy efficiency and performance.
- 4 Mainframe and 3" sash rails with mitered and fusion-welded joints provide enhanced aesthetic appeal as well as added strength and durability.
- 5 1" thick insulated glass unit with the Intercept Warm-Edge Spacer System saves energy year-round by reducing the transfer of heat and cold.
- 6 Steel reinforcements at the interlocks and lock rails increase strength, rigidity and structural integrity.
- 7 Contoured glazing bead adds visual interest and beauty.
- 8 Precision-engineered tandem roller system ensures quiet and easy operation of the door panel.

PLUS THESE ADDITIONAL FEATURES:

- Deep interlocks with a protective bulb weatherstrip deliver increased insulation and a tight seal.
- Mainframe includes interior and exterior accessory grooves for installation and design versatility.
- Multi-point locking system with strong steel hook design seals the door tightly closed and helps prevent energy loss.
- Interlock incorporates a built-in, anti-lift feature to impede door panel removal when closed or locked.
- Stainless steel roller track eliminates the possibility of unsightly dark residue and wearing typical of aluminum tracks.
- Heavy-duty extruded aluminum screen features four adjustable rollers for smooth gliding.
- Integrated mini blinds³ offer convenient sunlight and privacy control (optional).
- Available in a 2-panel style in 5', 6' and 8' widths; 3-panel styles in 9' and 12' widths; and a 4-panel style in a 12' width with center panels that open to each side.
- Choose a door with left or right moving panel – left moving panel is standard (outside looking in); not field reversible.
- Backed by a Lifetime Limited Warranty.[†]

PATIO DOOR OPTIONS:

- ENERGY STAR qualified SolarTherm insulated glass package options.
- Tandem rollers available with stainless steel housing and bearings for harsh environments.
- Interior ventilation foot lock allows convenient yet limited opening of the door for airflow.
- Keyed exterior lock offers convenient access from outside the home.
- Decorative grid patterns for enhanced beauty.



AVAILABLE WITH THE FOLLOWING FRAME OPTIONS:

- Stucco fin
- 1 3/8" brickmould²
- 2" brickmould²
- Nail fin²

²Nail fin option is not factory-applied.
³Optional integrated mini blinds will feature a white blind only.

CONTEMPORARY-STYLE PATIO DOOR GLASS PERFORMANCE COMPARISON⁴

	U-Factor	SHGC
Clear	0.43	0.56
SolarTherm	0.27	0.29
SolarTherm Ultra	0.27	0.20
SolarTherm TG2	0.20	0.26

⁴6500 whole door values.

GLASS PACKAGE TERMINOLOGY:

Clear Insulated: Clear double-pane insulated glass unit.
SolarTherm: Soft coat, multi-layer, vacuum deposition Low-E glass with argon gas and Intercept Warm-Edge Spacer System.
SolarTherm Ultra: Soft coat, SHGC multi-layer, vacuum deposition Low-E glass with argon gas and Intercept Warm-Edge Spacer System.
SolarTherm TG2: Triple-glazed unit with two surfaces of Low-E glass and two air spaces of argon gas with the Intercept Warm-Edge Spacer System.



IMPECCABLE QUALITY AND ADVANCED ENERGY SAVINGS ARE INHERENT IN THIS ULTRA-PREMIUM PATIO DOOR.

- 1 **Premium vinyl mainframe and sash extrusions** are colored throughout – won't chip, peel, crack or warp and never need to be painted.
- 2 **Mainframe and sash** feature a double-wall design and multi-chambered construction for outstanding strength and thermal protection.
- 3 **Dual internal/external weatherstripping** on the sash ensures optimal energy efficiency and performance.
- 4 **Mainframe and 5" sash rails** with mitered and fusion-welded joints provide traditional beauty as well as added strength and durability.
- 5 **1" thick insulated glass unit** with the Intercept Warm-Edge Spacer System saves energy year-round by reducing the transfer of heat and cold.
- 6 **Steel reinforcements** at the interlocks and lock rails increase strength, rigidity and structural integrity.
- 7 **Contoured glazing bead** adds visual interest and beauty.
- 8 **Precision-engineered tandem roller system** ensures quiet and easy operation of the door panel.

PLUS THESE ADDITIONAL FEATURES:

- Deep interlocks with a protective bulb weatherstrip deliver increased insulation and a tight seal.
- Mainframe includes interior and exterior accessory grooves for installation and design versatility.
- Multi-point locking system with strong steel hook design seals the door tightly closed and helps prevent energy loss.
- Interlock incorporates a built-in, anti-lift feature to impede door panel removal when closed or locked.
- Stainless steel roller track eliminates the possibility of unsightly dark residue and wearing typical of aluminum tracks.
- Heavy-duty extruded aluminum screen features four adjustable rollers for smooth gliding.
- Integrated mini blinds³ offer convenient sunlight and privacy control (optional).
- Available in a 2-panel style in 5', 6' and 8' widths; 3-panel styles in 9' and 12' widths; and a 4-panel style in a 12' width with center panels that open to each side.
- Choose a door with left or right moving panel – left moving panel is standard (outside looking in); not field reversible.
- Backed by a Lifetime Limited Warranty.[†]

PATIO DOOR OPTIONS:

- ENERGY STAR qualified SolarTherm insulated glass package options.
- Tandem rollers available with stainless steel housing and bearings for harsh environments.
- Interior ventilation foot lock allows convenient yet limited opening of the door for airflow.
- Keyed exterior lock offers convenient access from outside the home.
- Decorative grid patterns for enhanced beauty.



AVAILABLE WITH THE FOLLOWING FRAME OPTIONS:

- Stucco fin
- 1³/₈" brickmould²
- 2" brickmould²
- Nail fin²

²Nail fin option is not factory-applied.

³Optional integrated mini blinds will feature a white blind only.

CLASSIC-STYLE PATIO DOOR GLASS PERFORMANCE COMPARISON⁴

	U-Factor	SHGC
Clear	0.40	0.49
SolarTherm	0.26	0.26
SolarTherm Ultra	0.26	0.18
SolarTherm TG2	0.20	0.22

⁴6500 whole door values.

GLASS PACKAGE TERMINOLOGY:

Clear Insulated: Clear double-pane insulated glass unit.

SolarTherm: Soft coat, multi-layer, vacuum deposition Low-E glass with argon gas and Intercept Warm-Edge Spacer System.

SolarTherm Ultra: Soft coat, SHGC multi-layer, vacuum deposition Low-E glass with argon gas and Intercept Warm-Edge Spacer System.

SolarTherm TG2: Triple-glazed unit with two surfaces of Low-E glass and two air spaces of argon gas with the Intercept Warm-Edge Spacer System.



We've given our Westbridge 6500 Classic-Style Sliding Patio Door an ample measure of traditional beauty but with a tough, high-endurance build. Generous 5" rails convey a familiar sense of home, while design innovations and easy-care features merge perfectly with today's carefree lifestyle.



Traditional French-style doors are a popular choice but require a considerable amount of space to operate. Our Westbridge 6500 French-Style Sliding Patio Door captures the same authentic “French door” elegance but in a floor space-saving design.

THIS WEATHERTIGHT PATIO DOOR CONVEYS FRENCH DOOR CHARM WITH ITS AUTHENTICALLY DETAILED 5" TOP RAIL, 7" BOTTOM RAIL AND 3" SIDE RAILS.

- 1 Premium vinyl mainframe and sash extrusions are colored throughout – won't chip, peel, crack or warp and never need to be painted.
- 2 Mainframe and sash feature a double-wall design and multi-chambered construction for outstanding strength and thermal protection.
- 3 Dual internal/external weatherstripping on the sash ensures optimal energy efficiency and performance.
- 4 5" top rail, 7" bottom rail and 3" side rails feature mortised joints for added strength and authentic “French door” charm.
- 5 1" thick insulated glass unit with the Intercept Warm-Edge Spacer System saves energy year-round by reducing the transfer of heat and cold.
- 6 Steel reinforcements at the interlocks and lock rails increase strength, rigidity and structural integrity.
- 7 Contoured glazing bead adds visual interest and beauty.
- 8 Precision-engineered tandem roller system ensures quiet and easy operation of the door panel.
- 9 Fusion-welded mainframe provides increased durability and strength.

PLUS THESE ADDITIONAL FEATURES:

- Deep interlocks with a protective bulb weatherstrip deliver increased insulation and a tight seal.
- Mainframe includes interior and exterior accessory grooves for installation and design versatility.
- Multi-point locking system with strong steel hook design seals the door tightly closed and helps prevent energy loss.
- Interlock incorporates a built-in, anti-lift feature to impede door panel removal when closed or locked.
- Stainless steel roller track eliminates the possibility of unsightly dark residue and wearing typical of aluminum tracks.
- Heavy-duty extruded aluminum screen features four adjustable rollers for smooth gliding.
- Integrated mini blinds³ offer convenient sunlight and privacy control (optional).
- Available in a 2-panel style in 5', 6' and 8' widths; 3-panel styles in 9' and 12' widths; and a 4-panel style in a 12' width with center panels that open to each side.
- Choose a door with left or right moving panel – left moving panel is standard (outside looking in); not field reversible.
- Backed by a Lifetime Limited Warranty.[†]

PATIO DOOR OPTIONS:

- ENERGY STAR qualified SolarTherm insulated glass package options.
- Tandem rollers available with stainless steel housing and bearings for harsh environments.
- Interior ventilation foot lock allows convenient yet limited opening of the door for airflow.
- Keyed exterior lock offers convenient access from outside the home.
- Decorative grid patterns for enhanced beauty.



AVAILABLE WITH THE FOLLOWING FRAME OPTIONS:

- Stucco fin
- 1³/₈" brickmould²
- 2" brickmould²
- Nail fin²

²Nail fin option is not factory-applied.
³Optional integrated mini blinds will feature a white blind only.

FRENCH-STYLE PATIO DOOR GLASS PERFORMANCE COMPARISON⁴

	U-Factor	SHGC
Clear	0.42	0.52
SolarTherm	0.27	0.27
SolarTherm Ultra	0.27	0.19
SolarTherm TG2	0.21	0.24


⁴6500 whole door values.

GLASS PACKAGE TERMINOLOGY:

Clear Insulated: Clear double-pane insulated glass unit.
SolarTherm: Soft coat, multi-layer, vacuum deposition Low-E glass with argon gas and Intercept Warm-Edge Spacer System.
SolarTherm Ultra: Soft coat, SHGC multi-layer, vacuum deposition Low-E glass with argon gas and Intercept Warm-Edge Spacer System.
SolarTherm TG2: Triple-glazed unit with two surfaces of Low-E glass and two air spaces of argon gas with the Intercept Warm-Edge Spacer System.

COLOR COLLECTION.

Our carefully selected color palette lets you create the ideal patio door. Choose white, almond or desert clay or one of our painted exterior finishes to complement the architectural style of your home.



STYLISH HANDLES.

Our Contemporary-Style and Classic-Style Sliding Patio Doors feature a popular handle design with thumb latch for universal appeal.




The gracefully contoured handle on our French-Style Sliding Patio Door includes a top lock for added resistance.




INTERIOR GRID SELECTIONS.


It's simple to turn your patio door into a statement of style with our decorative interior grids. All grids are enclosed within the insulated glass unit for easy cleaning.



CONFIGURATIONS.



Westbridge 6500 Sliding Patio Doors are available in 2-, 3- and 4-panel configurations.



⁵Solid extruded color.
⁶Black, Architectural Bronze and Silver exterior available with a White or Almond interior only.
⁷Available in a pewter finish only.